



Tel: (242) 397-5509, 5513, 5514, 5520
24 hr. Mobile: (242) 376-1617, (242) 376-8334
Fax: (242) 327-2192
2nd Floor, Manx Corporate Center
#45 West Bay Street
P. O. Box CB-11702
Nassau, N. P., Bahamas
Website: www.baaid.org
Email: baaid@bahamas.gov.bs

July 27, 2020

Mr. Niko Davis
Senior Superintendent Family Islands Operations
Airport Authority
Lynden Pindling International Airport
Nassau N. P. Bahamas

Sir

Ref: Safety Recommendation 18-028 and 044

The Aircraft Accident Investigation Authority (AAIA) is an independent government agency charged by the Minister for Transport and Local Government with investigating every civil aviation accident and incidents in the Bahamas. We determine the probable cause of the accidents and issue safety recommendations aimed at preventing future accidents.

On August 31, 2018, the AAIA adopted its safety recommendation report reference Accident Report A18-000002 which occurred on January 9, 2018 involving aircraft C6-MIC. The details of the related accident investigation and the resulting safety recommendations were sent to your attention on August 31, 2018.

The AAIA received your responses dated 21 July, 2020 and evaluated your responses and have classified the safety recommendations compliance status as follows:

SR18-028	Closed - Acceptable Action ¹
SR18-044	Closed – Acceptable Action

Attached to this email is a complete tracking of all recommendations issued and your organizations responses. As required by the AAIA Legislation, all safety recommendations and their responses must be made available to the public and can be found on our website at <https://www.baaid.org/safety-recommendations>.

Thank you for your cooperation.

Regards,

A handwritten signature in black ink, appearing to be 'Delvin R. Major', with a long horizontal stroke extending to the right.

Delvin R. Major
Chief Investigator of Air Accidents

CC: Hon. Dionisio D'Aguilar - Minister – Tourism and Aviation
Mr. Algernon Cargill – Director – Department of Aviation

Aircraft Accident Investigation Authority

Attachments:

SR18-028

SR18-044

¹ Closed – Acceptable Action – Response by recipient indicates action on the safety recommendation has been completed. The action complies with the safety recommendation.